ELSEVIER

Neuroscience Letters 359 (2004) 202–204

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 359

Volume 359, nos. 1,2

Spontaneous bursting neuronal discharges recorded from peripheral nerve in human: injury discharges or not?
M. Bergenheim, E. Ribot-Ciscar, J.-P. Roll, J. Thunberg (Sweden, France) 1

No tolerance to the antinociceptive action of calcitonin in rats and mice
R. Aboufatima, A. Chait, A. Dalal, A. Zyad, R. de Beaurepaire (Morocco, France) 5

Perinatal flunitrazepam exposure causes persistent alteration of parvalbumin-immunoreactive interneuron localization in rat prefrontal cortex
A.C. Grobin, J.A. Lieberman, A.L. Morrow (USA) 9

Learning may reduce neurogenesis in adult rat dentate gyrus
P. Ambrogini, L. Orsini, C. Mancini, P. Ferri, S. Ciaroni, R. Cuppini (Italy) 13

Antagonism of cannabinoid CB1 receptors in the paraventricular nucleus of male rats induces penile erection
M.R. Melis, S. Succu, M.S. Mascia, A. Argiolas (Italy) 17

Morphological analysis of spine shapes of Purkinje cell dendrites in the rat cerebellum using high-voltage electron microscopy
K.J. Lee, H. Kim, T.S. Kim, S.-H. Park, I.J. Rhyu (South Korea) 21

The combined disruption of microfilaments and microtubules affects the distribution and function of $GABA_A$ receptors in rat cerebellum granule cells in culture
C. Luccardini, S. Casagrande, A. Cupello, F. Pellistri, P. Ramoino, M. Robello (Italy) 25

Visual evoked potential changes related to illusory perception in normal human subjects
E. Hayashi, Y. Kuroiwa, S. Omoto, T. Kamitani, M. Li, S. Koyano (Japan) 29

Noxious heat receptors present in cold-sensory cells in rats
M. Okazawa, W. Inoue, A. Hori, H. Hosokawa, K. Matsumura, S. Kobayashi (Japan) 33

Expression analysis of P/Q-type Ca^{2+} channel α_{1A} subunit mRNA in olfactory mitral cell in N-type Ca^{2+} channel α_{1B} subunit gene-deficient mice
E. Takahashi, M. Ino, N. Miyamoto, T. Nagasu (Japan) 37

Hormone sensitivity of muscle activation in the sexually dimorphic SNB/BC neuromuscular system of the rat
A.M. Foster, D.R. Sengelaub (USA) 41

Selective 5-HT_{1A} and 5-HT_7 antagonists decrease epileptic activity in the WAG/Rij rat model of absence epilepsy
M. Graf, R. Jakus, S. Kantor, G. Levay, G. Bagdy (Hungary) 45

Tactile discrimination activates the visual cortex of the recently blind naive to Braille: a functional magnetic resonance imaging study in humans
N. Sadato, T. Okada, K. Kubota, Y. Yonekura (Japan) 49

Kinetic properties of voltage-gated Na^+ currents in rat muscular sympathetic neurons with and without adenosine triphosphate and guanosine triphosphate in intracellular solution
R. Rola, P. Szulczyk (Poland) 53

Protection against malonate-induced ischemic brain injury in rat by a cell-permeable peptidic c-Jun N-terminal kinase inhibitor, (L)-HIV-TAT_{48-57}-PP-JBD_{20}, observed by the apparent diffusion coefficient mapping magnetic resonance imaging method
T. Asanuma, O. Inanami, K. Tabu, K. Waki, Y. Kon, M. Kuwabara (Japan) 57

Higher visual dependency increases balance control perturbation during cognitive task fulfilment in elderly people
M. Jamet, D. Deviterne, G.C. Gauchard, G. Vançon, P.P. Perrin (France) 61

Altered gene expressions in rat hippocampus after kainate injection with or without melatonin pre-treatment
A. Yalcin, L. Kanit, E.Y. Sozmen (Turkey) 65

Loss of striatal dopaminergic fibers after intraventricular injection of tetrahydrobiopterin in rat brain
S.T. Kim, J.W. Chang, H.N. Hong, O. Hwang (South Korea) 69

Chronic unpredictable stress inhibits nociception in male rats
F. Pinto-Ribeiro, A. Almeida, J.M. Pêgo, J. Cerqueira, N. Sousa (Portugal) 73

ELSEVIER

Neuroscience Letters 359 (2004) 202–204

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 359

Volume 359, nos. 1,2

Spontaneous bursting neuronal discharges recorded from peripheral nerve in human: injury discharges or not?
M. Bergenheim, E. Ribot-Ciscar, J.-P. Roll, J. Thunberg (Sweden, France) 1

No tolerance to the antinociceptive action of calcitonin in rats and mice
R. Aboufatima, A. Chait, A. Dalal, A. Zyad, R. de Beaurepaire (Morocco, France) 5

Perinatal flunitrazepam exposure causes persistent alteration of parvalbumin-immunoreactive interneuron localization in rat prefrontal cortex
A.C. Grobin, J.A. Lieberman, A.L. Morrow (USA) 9

Learning may reduce neurogenesis in adult rat dentate gyrus
P. Ambrogini, L. Orsini, C. Mancini, P. Ferri, S. Ciaroni, R. Cuppini (Italy) 13

Antagonism of cannabinoid CB1 receptors in the paraventricular nucleus of male rats induces penile erection
M.R. Melis, S. Succu, M.S. Mascia, A. Argiolas (Italy) 17

Morphological analysis of spine shapes of Purkinje cell dendrites in the rat cerebellum using high-voltage electron microscopy
K.J. Lee, H. Kim, T.S. Kim, S.-H. Park, I.J. Rhyu (South Korea) 21

The combined disruption of microfilaments and microtubules affects the distribution and function of $GABA_A$ receptors in rat cerebellum granule cells in culture
C. Luccardini, S. Casagrande, A. Cupello, F. Pellistri, P. Ramoino, M. Robello (Italy) 25

Visual evoked potential changes related to illusory perception in normal human subjects
E. Hayashi, Y. Kuroiwa, S. Omoto, T. Kamitani, M. Li, S. Koyano (Japan) 29

Noxious heat receptors present in cold-sensory cells in rats
M. Okazawa, W. Inoue, A. Hori, H. Hosokawa, K. Matsumura, S. Kobayashi (Japan) 33

Expression analysis of P/Q-type Ca^{2+} channel α_{1A} subunit mRNA in olfactory mitral cell in N-type Ca^{2+} channel α_{1B} subunit gene-deficient mice
E. Takahashi, M. Ino, N. Miyamoto, T. Nagasu (Japan) 37

Hormone sensitivity of muscle activation in the sexually dimorphic SNB/BC neuromuscular system of the rat
A.M. Foster, D.R. Sengelaub (USA) 41

Selective 5-HT_{1A} and 5-HT_7 antagonists decrease epileptic activity in the WAG/Rij rat model of absence epilepsy
M. Graf, R. Jakus, S. Kantor, G. Levay, G. Bagdy (Hungary) 45

Tactile discrimination activates the visual cortex of the recently blind naive to Braille: a functional magnetic resonance imaging study in humans
N. Sadato, T. Okada, K. Kubota, Y. Yonekura (Japan) 49

Kinetic properties of voltage-gated Na^+ currents in rat muscular sympathetic neurons with and without adenosine triphosphate and guanosine triphosphate in intracellular solution
R. Rola, P. Szulczyk (Poland) 53

Protection against malonate-induced ischemic brain injury in rat by a cell-permeable peptidic c-Jun N-terminal kinase inhibitor, (L)-HIV-TAT_{48-57}-PP-JBD_{20}, observed by the apparent diffusion coefficient mapping magnetic resonance imaging method
T. Asanuma, O. Inanami, K. Tabu, K. Waki, Y. Kon, M. Kuwabara (Japan) 57

Higher visual dependency increases balance control perturbation during cognitive task fulfilment in elderly people
M. Jamet, D. Deviterne, G.C. Gauchard, G. Vançon, P.P. Perrin (France) 61

Altered gene expressions in rat hippocampus after kainate injection with or without melatonin pre-treatment
A. Yalcin, L. Kanit, E.Y. Sozmen (Turkey) 65

Loss of striatal dopaminergic fibers after intraventricular injection of tetrahydrobiopterin in rat brain
S.T. Kim, J.W. Chang, H.N. Hong, O. Hwang (South Korea) 69

Chronic unpredictable stress inhibits nociception in male rats
F. Pinto-Ribeiro, A. Almeida, J.M. Pêgo, J. Cerqueira, N. Sousa (Portugal) 73

Leukemia inhibitory factor stimulates vasopressin release in rats
S. Ishizaki, T. Murase, Y. Sugimura, R. Banno, H. Arima, Y. Miura, Y. Oiso (Japan) 77
Colonic inflammation decreases thermal sensitivity of the forepaw and hindpaw in the rat
R.J. Traub, G. Wang (USA) 81
Endogenous and exogenous glucocorticoid suppresses up-regulation of preprodynorphin mRNA and hyperalgesia in rats with peripheral inflammation
R.-X. Zhang, L. Lao, J.-T. Qiao, K. Malsnee, M.A. Ruda (USA, PR China) 85
Inhibition of fibril formation and toxicity of a fragment of α-synuclein by an *N*-methylated peptide analogue
A.M. Bodles, O.M.A. El-Agnaf, B. Greer, D.J.S. Guthrie, G.B. Irvine (UK) 89
Failure in heat-shock protein expression in response to UBB^{+1} protein in progressive supranuclear palsy in humans
A.D. Hope, T. Lashley, A.J. Lees, R. de Silva (UK) 94
Generation of dopaminergic neurons in vitro from human embryonic stem cells treated with neurotrophic factors
S. Park, K.S. Lee, Y.J. Lee, H.A. Shin, H.Y. Cho, K.C. Wang, Y.S. Kim, H.T. Lee, K.S. Chung, E.Y. Kim, J. Lim (South Korea) 99
Decreases in soluble α-synuclein in frontal cortex correlate with cognitive decline in the elderly
D.-S. Wang, D.A. Bennett, E. Mufson, E. Cochran, D.W. Dickson (USA) 104
Immunolocalization of CCK_1R in rat brain using a new anti-peptide antibody
L.D. Mercer, P.M. Beart (Australia) 109
Lactic acidosis progressively impairs dopamine uptake in rat striatal synaptosomes by a mechanism partially independent of the Na^+/K^+-ATPase dysfunction
L. Barrier, S. Barc-Pain, S. Stadelmann-Ingrand, E. Bestel, B. Fauconneau, G. Page (France) 114
Activation of the primary and association auditory cortex by the transition of sound intensity: a new method for functional examination of the auditory cortex in humans
T. Okada, M. Honda, J. Okamoto, N. Sadato (Japan) 119
Erythropoietin receptor is expressed on adult rat dopaminergic neurons and erythropoietin is neurotrophic in cultured dopaminergic neuroblasts
M. Csete, L. Rodriguez, M. Wilcox, S. Chadalavada (USA) 124
Buprenorphine reduces central sensitization after repetitive C-fiber stimulation in rats
P.F. Kouya, X.-J. Xu (Sweden) 127
Progression of human body sway during successive walking studied by recording sole–floor reaction forces
K. Kiriyama, T. Warabi, M. Kato, T. Yoshida, N. Kobayashi (Japan) 130

Contents continued 133

Volume 359, no. 3

The effect of gender and the neurotrophin, BDNF, upon methamphetamine-induced neurotoxicity of the nigrostriatal dopaminergic system in mice
D.E. Dluzen (USA) 135
Bax-ablation attenuates experimental autoimmune encephalomyelitis in mice
N. Lev, Y. Barhum, E. Melamed, D. Offen (Israel) 139
With long intervals, inter-stimulus interval is the critical determinant of the human P300 amplitude
A. Sambeth, J.H.R. Maes, J. Brankačk (The Netherlands, Czech Republic) 143
Optical recording of oscillatory neural activities in the molluscan brain
S. Watanabe, S. Shimozono, Y. Kirino (Japan) 147
Alterations in human tau transcripts correlate with those of neurofilament in sporadic tauopathies
Y. Umeda, S. Taniguchi, K. Arima, Y.-S. Piao, H. Takahashi, T. Iwatsubo, D. Mann, M. Hasegawa (Japan, UK) 151
Proliferation inhibition of astrocytes, neurons, and non-glial cells by intracellularly expressed human immunodeficiency virus type 1 (HIV-1) Tat protein
B.Y. Zhou, J.J. He (USA) 155
Transgenic mouse overexpressing the Akt reduced the volume of infarct area after middle cerebral artery occlusion
N. Ohba, S. Kiryu-Seo, M. Maeda, M. Muraoka, M. Ishii, H. Kiyama (Japan) 159
Facilitated neurogenic inflammation in unaffected limbs of patients with complex regional pain syndrome
S. Leis, M. Weber, M. Schmelz, F. Birklein (Germany) 163
Diffusive oxidative stress following acute spinal cord injury in guinea pigs and its inhibition by polyethylene glycol
J. Luo, R. Shi (USA) 167
Memory-induced modulation of event-related potentials in frontal cortex of human subjects: a divided visual field study
A. Nowicka, I. Szatkowska (Poland) 171
Serial N20m dipoles in somatosensory evoked magnetic fields move along the distal-proximal representation of the digit area 3b of the human cortex

M. Tanosaki, I. Hashimoto (Japan) 175
Nitric oxide inhibits NMDA currents in a subpopulation of substantia gelatinosa neurons of the adult rat spinal cord
R. Nicholson, D. Spanswick, K. Lee (UK) 180
Dynamical changes in corticospinal excitability during imagery of unimanual and bimanual wrist movements in humans: a transcranial magnetic stimulation study
O. Levin, M. Steyvers, N. Wenderoth, Y. Li, S.P. Swinnen (Belgium) 185
Characterization of the two distinct subtypes of metabotropic glutamate receptors from honeybee, *Apis mellifera*
M. Funada, S. Yasuo, T. Yoshimura, S. Ebihara, H. Sasagawa, Y. Kitagawa, T. Kadowaki (Japan) 190
Lack of association between the interleukin-1 alpha (− 889) polymorphism and early-onset Parkinson's disease
J.C. Möller, C. Depboylu, H. Kölsch, F. Lohmüller, O. Bandmann, P. Gocke, Y. Du, S. Paus, U. Wüllner, T. Gasser, W.H. Oertel, T. Klockgether, R.C. Dodel (Germany, USA) 195
Corrigendum to "Wide-range visualization of compound nerve action magnetic fields in the human median and ulnar nerves from the forearm to Erb's point" [Neuroscience Letters 356 (2004) 151–153]
K. Nakanishi, T. Mashiko, Y. Fujimoto, N. Tanaka, Y. Iwase, O. Ishida, M. Ochi (Japan) 198

Author Index 199
Volume of Contents 203